



Required Pool and Spa Signage

Required Pool Sign and Signs	Letter and Symbol Size
"WARNING-NO LIFEGUARD ON DUTY" (Where no lifeguard required or provided.)	4 inches
"NO DIVING" and International no diving symbol (Where no lifeguard required or provided.)	4 inches
"IN CASE OF EMERGENCY, DIAL 911"	4 inches
Precise Location of the Pool on or with the Emergency Phone (address, or directions, or GPS location, or building number, as appropriate)	Minimum 1-inch
Hours of Operation	Minimum 1-inch
Directions to and Location of Emergency Phone if Phone Not Visible in Pool Yard	Minimum 2-inches
Maximum User Load Limit	Minimum 2-inches
"PETS IN THE POOL ARE PROHIBITED"	Minimum 2-inches
"DO NOT SWIM IF YOU HAVE BEEN ILL WITH DIARRHEA WITHIN THE PAST 2 WEEKS"	Minimum 2-inches
"CHANGING DIAPERS WITHIN 6 FEET OF THE POOL IS PROHIBITED"	Minimum 2-inches
"GLASS ITEMS NOT ALLOWED IN THE POOL YARD"	Minimum 2-inches
"PERSONS UNDER THE AGE OF 14 MUST NOT BE IN THE POOL WITHOUT ADULT SUPERVISION"	Minimum 2-inches
"EXTENDED BREATH HOLDING ACTIVITIES ARE DANGEROUS AND PROHIBITED"	Minimum 2-inches

Required Spa Signs	Letter and Symbol Size
"WARNING – NO LIFEGUARD ON DUTY" (if no lifeguard is provided or required)	4 inches
"DO NOT USE THE SPA IF THE WATER TEMPERATURE IS ABOVE 104 DEGREES FAHRENHEIT"	Minimum 1-inch
Maximum User Load	Minimum 1-inch
Location of the nearest emergency phone or device.	Minimum 2-inches
EMERGENCY SPA SHUTOFF	Minimum 2-inches
"DO NOT SWIM IF YOU HAVE BEEN ILL WITH DIARRHEA WITHIN THE PAST 2 WEEKS"	Minimum 2-inches
"PERSONS UNDER THE AGE OF 14 MUST NOT BE IN THE SPA WITHOUT ADULT SUPERVISION"	Minimum 2-inches
"PETS IN THE SPA ARE PROHIBITED"	Minimum 2-inches

Operators are required to update all signage in the event a sign or signs need to be replaced. For example, if an inspector identifies one sign that needs to be replaced the operator will be required to update and replace all signage to comply with the current code.

Codes:

Pools 25 TAC §265.201

Spas 25 TAC §265.208

